NM4-I (Indoor)

Quick Start Guide

The ultrasonic NextMeter Indoor integrates sophisticated solid-state measuring technology with the NextCentury wireless platform. Making it the first solid-state meter purpose-built for the submetering industry.

Ultrasonic Technology

The NextMeter combines cutting-edge ultrasonic technology with the industry-leading AMR solution, all in a simple and easy to use meter designed for effortless deployment. NextMeter ultrasonic technology reliably detects even the smallest amount of flow and extends this level of accuracy across all flow rates.

Water Flow

Ensure flow of water matches direction of the arrow indicator on the side of the meter.



Orientation

The NextMeter Indoor can be installed in a **horizontal** or **vertical** position. Face the register for easy reading.



Additional Resources

For full installation guide, spec sheets, and additional resources, please visit:
products.nextcenturymeters.com/nm4-i

Contact Information
Phone: 844.538.8203 opt. 2
Email: support@nextcenturymeters.com

NM4-I (Indoor)

Installation

The NextMeter Indoor should be installed by a locally approved installer as part of initial supply line and plumbing work.

1) Secure couplings set to water line and place gaskets in each end





2) Water line should be parallel and allow for proper meter spacing

3) Place meter and tighten both ends to max torque of 15 ft-lb



4) Pressurize line and check for leaks at each connection

NM4-I (Indoor)

Information

NextCentury™ SUBMETERING SOLUTIONS

Meter Label

Detailed and meter-specific information can be found on the underside of the NextMeter register lid.



LCD Screen

Lift the register lid to activate the NextMeter LCD.



- Reverse Flow; backflow of water detected
- LCD display is inactive; close lid, then open again
- Water Leak detected
- Burst pipe or severe water leak detected
- Freeze detected
- Battery has less than 10 months remaining
- Transmitting meter read data
- Wired output; pulse is active
- No water detected in the meter

NM4-I (Indoor)

Cloud Connected

NextCentury™ SUBMETERING SOLUTIONS

Wireless Made Easy

When installing the NextMeter, you can instantly know if everything is working correctly by opening the NextMeter register lid. The Meters's RF LED will blink green when it is able to communicate with its Gateway.

Programming

Programming the NextMeter can be completed quickly on the NextCentury Web or Mobile App, either ahead of time or on-site. To receive immediate feedback when opening the NextMeter lid, make sure the Gateway is programmed and connected to the NextCentury Cloud.

App Configuration

The NextCentury App allows for additional configuration options. Lift the register lid and connect to the meter in the app.

Mobile App Download

App Store
iOS App

Google Play
Android App

For more, visit: www.nextcenturymeters.com or contact sales@nextcenturymeters.com